Toxicology, 76 (1992) 301–302
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

VOLUME CONTENTS

Volume 76 (1992)

Pulmonary toxicity of acrylonitrile: covalent interaction and effect on replicative and unscheduled DNA synthesis in the lung **(A single oral dose of acrylonitrile produces signs of genetic toxicity in lung tissue)**
by A.E. Ahmed, A.H. Abdel-Aziz, S.Z. Abdel-Rahman, A.K. Haque, A.M. Nouraldeen and S.A. Shouman (Galveston, TX) 1–14

Exogenous metallothionein and renal toxicity of cadmium and mercury in rats **(A comparative study on the renal toxicity of the inorganic salts and their metallothionein complexes)**
by H.M. Chan, M. Satoh, R.K. Zalups and M.G. Cherian (London, Ontario and Macon, GA) .. 15–26

Hepatic chemiluminescence and lipid peroxidation in mild iron overload **(Lipid peroxidation may play a role in the development of cell damage in the early stages of iron overload)**
by M. Galleano and S. Puntarulo (Buenos Aires, Argentina) 27–38

The effect of tributyltin chloride on vascular responses to atrial natriuretic peptide **(Effects of tributyltin appear to be mediated through direct interaction with membrane-bound guanylate cyclase)**
by R. Solomon and V. Krishnamurty (Valhalla, NY) 39–47

The effect of ethylene glycol monomethyl ether and diethylene glycol monomethyl ether on hepatic γ-glutamyl transpeptidase **(Ethylene glycol monomethyl either induces hepatic GGT activity in a dose-dependent manner without any increase in the level of cell proliferation)**
by T. Kawamoto, K. Matsuno, F. Kayama, K. Arashidani, M. Yoshikawa and Y. Kodama (Kitakyushu, Japan) 49–57

The in vivo effects of cyanide and its antidotes on rat brain cytochrome oxidase activity **(Established principles of treatment are reconfirmed)**
by V. Tadić (Belgrade, Yugoslavia) 59–67

Hepatotoxicity of trichlorfon and dichlorvos in isolated rat hepatocytes **(Hepatotoxicity of the two compounds appears to be relayed to their peroxidative property in microsomes which is accelerated by oxygen)**
by T. Yamano and S. Morita (Osaka, Japan) 69–77

Mobilization of lead in mice by administration of monoalkyl esters of *meso*-2,3-dimercaptosuccinic acid **(The capability of monoesters to cross cell membranes gives them superior mobilization activity)**
by E.M. Walker, Jr., A. Stone, L.B. Milligan, G.R. Gale, L.M. Atkins, A.B. Smith, M.M. Jones, P.K. Singh and M.A. Basinger (Little Rock, AR; Charleston, SC and Nashville, TN) 79–87

Competitive studies relating to tryptophan binding to rat hepatic nuclear envelopes as a sensitive assay for unknown compounds **(L-Tryptophan implicated in the pathogenesis of the eosinophilia-myalgia syndrome affects the degree of specific binding of tryptophan to hepatic nuclear envelopes)**
by H. Sidransky, E. Verney and J.W. Cosgrove (Washington, DC) 89–100

Announcements 101–102

Reduced Leydig cell volume and function in adult rats exposed to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin without a significant effect on spermatogenesis **(TCDD-induced androgen deficiency in male rats may be explained by the loss of total volume of Leydig cell cytoplasm)**
by L. Johnson, R. Dickerson, S.H. Safe, C.L. Nyberg, R.P. Lewis and T.H. Welsh, Jr. (College Station, TX) 103–118

Assessment of exposure to parenteral and oral aluminum with and without citrate using a desferrioxamine test in rats **(The use of desferrioxamine failed to give a more sensitive means of assessing Al exposure than measurement of the metal in serum, urine or bone)**
by J.L. Greger and C.F. Powers (Madison, WI) 119–132

Interaction of monocrotophos and its novel thion analogues with microsomal cytochrome *P*-450: in vivo and in vitro studies in rat **(All compounds examined bind with high affinity to hepatic cytochrome *P*-450)**
by M.K.J. Siddiqui, M. Mahboob and M. Mustafa (Hyderabad, India) 133–139

Localization and health effects of lanthanum chloride instilled intratracheally into rats **(Characterization of dose-response and half-life)**
by K.T. Suzuki, E. Kobayashi, Y. Ito, H. Ozawa and E. Suzuki (Ibaraki and Chiba, Japan) 141–152

Evaluation of surfactant cytotoxicity potential by primary cultures of ocular tissues: I. Characterization of rabbit corneal epithelial cells and initial injury and delayed toxicity studies **(Among the in vitro cytotoxicity tests used, only the lactate dehydrogenase assay may predict prolonged cell injury)**
by R.L. Grant, C. Yao, D. Gabaldon and D. Acosta (Austin, TX) 153–176

Differences in α_{2u}-globulins increased in male rat kidneys following treatment with several α_{2u}-globulin accumulating agents: cystein protease(s) play(s) an important role in production of kidney-type-α_{2u}-globulin **(Chemicals can induce at least two types of α_{2u}-globulin in male rat kidneys)**
by K. Saito, H. Kaneko, N. Isobe, I. Nakatsuka, A. Yoshitake and H. Yamada (Osaka, Japan) . 177–186

Poly(ADP-ribose)polymerase-activity of chicken embryo cells exposed to nucleotoxic agents **(In embryotoxicity studies this enzyme could possibly be a useful indicator of DNA damage)**
by A. Ignatius, M. Hund and K. Tempel (Munich, Germany) 187–196

A qualitative assessment of developmental toxicity within a series of structurally related dopamine mimetics **(A systematic study in a series of benzopyran compounds has been carried out)**
by J.E. Ridings and J.A. Baldwin (Welwyn, UK) 197–207

Multivariate quantitative structure-toxicity relationships in a series of dopamine mimetics **(Molecular modelling techniques are systematically applied to toxicological data)**
by J.E. Ridings, D.T. Manallack, M.R. Saunders, J.A. Baldwin and D.J. Livingstone (Welwyn, UK) 209–217

Incorporation of [^{35}S]sulfate into glomerular membranes of rats chronically exposed to cadmium and its relation with urinary glycosaminoglycans and proteinuria **(There seems to be a correlation between sulfate uptake and sulfation status of glomerular membranes and proteinuria: Both are reduced after chronic cadmium)**
by A. Cárdenas, A. Bernard and R. Lauwerys (Brussels, Belgium) 219–231

Isolation and structure determination of natural analogues of the mycotoxin ochratoxin A produced by *Aspergillus ochraceus* **(Three new ochratoxins with different amino acid moieties are described)**
by R. Hadidane, H. Bacha, E.E. Creppy, M. Hammami, F. Ellouze and G. Dirheimer (Monastir, Tunisia; Bordeaux and Strasbourg, France) 233–243

In vitro evidence for the role of glutamate in the CNS toxicity of mercury **(Low concentrations of mercuric mercury in the brain may selectively inhibit uptake of synaptically released glutamate and elevate glutamate levels in the extracellular space)**
by N. Brookes (Baltimore, MD) 245–256

Possible mechanism for zinc protection against cadmium cytotoxicity in cultured vascular endothelial cells **(Zinc effectively protects cultured endothelial cells against cadmium cytotoxicity even if it fails to induce synthesis of metallothionein)**
by T. Kaji, A. Mishima, E. Koyanagi, C. Yamamoto, M. Sakamoto and H. Kozuka (Kanazawa and Toyama, Japan) 257–270

Modulation of pulmonary immune defense mechanisms by sulfuric acid: effects on macrophage-derived tumor necrosis factor and superoxide **(Sulfuric acid inhalation depresses release and activity of tumor necrosis factor and reduces ability of macrophages to produce superoxide anion radical)**
by J.T. Zelikoff and R.B. Schlesinger (New York, NY) 271–281

Differences of draining lymph node cell proliferation among mice, rats and guinea pigs following exposure to metal allergens **(Local lymph node assays can be performed in rats and mice)**
by Y. Ikarashi, K. Ohno, T. Tsuchiya and A. Nakamura (Tokyo, Japan) 283–292

Contents of Journals Relating to Toxicology 293–294
Subject Index Volume 76 295–298
Author Index Volume 76 299
Contents Volume 76 301–302